

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and ("fan-out port" or "fanout port") and (priority or priorities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L2	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and ("fan-out port" or "fanout port") and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L3	103	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L4	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "multicast connection identifier address queue" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:42
L5	2	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L6	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast queue" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:43
L7	0	("ATM Switch" or "crosspoint switch") and "unicast queue" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:44
L8	0	("asynchronous transfer mode switch" or "crosspoint switch") and "unicast queue" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:50

L9	0	("asynchronous transfer mode switch" or "crosspoint switch") and "unicast cells" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:51
L10	1	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L11	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and (storing NEAR multicast) and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:52
L12	1	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L13	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (address NEAR queue) and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:00
L14	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (address NEAR3 queue) and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:00
L15	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (address NEAR2 queue) and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:00

L16	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and (queue NEAR lengths) and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:17
L17	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and (calculating NEAR lengths) and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:17
L18	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and (calculating NEAR "queue lengths") and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:17
L19	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and (calculating NEAR2 "queue lengths") and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:18
L20	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and (calculating NEAR2 "queue lengths") and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:18
L21	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "write pointer" and "read pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:00

L22	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:01
L23	0	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "multicast connection identifier" and "pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:02
L24	6	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L25	0	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "head of line blocking" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:39
L26	0	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "head of line" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:39
L27	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "buffer" and "multicast connection identifier" and "head of line blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:40
L28	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "buffer" and "multicast connection identifier" and ("head of line" NEAR blocking) and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:40

L29	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "head of line" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:41
L30	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "head of line blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:41
L31	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "head of line blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:42
L32	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "head of line" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:42
L33	1	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00
L34	1	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59

L35	1	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L36	3	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "blocking" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00
L37	5	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "multicast" and "buffer" and "write pointer" and "read pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00
L38	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast" and "head of the line blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:33
L39	0	("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "buffer" and "multicast" and "head of the line blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:34
L40	0	("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast" and "head of the line blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:34
L41	0	("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "multicast" and "head of the line blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:35

L42	7457	((370/395) or (370/389) or (370/238.1) or (370/390) or (370/412) or (370/413) or (370/414) or (370/417) or (370/422) or (370/428) or (370/429) or (370/398) or (370/229) or (370/432) or (370/395.42) or (370/395.71)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:57
L43	1	L42 and ("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and ("fan-out port" or "fanout port") and (priority or priorities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L44	0	L42 and ("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and ("fan-out port" or "fanout port") and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L45	64	L42 and ("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "multicast" and "buffer" and "queue" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L46	1	L42 and ("ATM Switch" or "asynchronous transfer mode switch") and "unicast" and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:58
L47	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L48	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59

L49	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L50	6	L42 and ("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L51	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L52	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 14:59
L53	5	L42 and ("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "multicast" and "buffer" and "write pointer" and "read pointer" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00
L54	1	L42 and ("asynchronous transfer mode switch" or "ATM switch") and (unicast NEAR storing) and "buffer" and "multicast connection identifier" and "blocking" and "port" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00
L55	3	L42 and ("asynchronous transfer mode switch" or "ATM switch") and "unicast" and "buffer" and "write pointer" and "read pointer" and "port" and "blocking" and "address" and (priority or priorities) and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 15:00